




FULL - DOSE METANDIENONE

Concentration ____ 10mg/Tablet
Route of A. ____ Oral
Schedule ____ CIII - Rx Only
Form ____ Tablet

Metandienone is an orally administered anabolic-androgenic steroid derived from testosterone. It is a 17-alpha-alkylated compound developed to remain active after gastrointestinal absorption and systemic administration. Due to its pharmacological structure, it exhibits anabolic activity together with androgenic properties, the degree of which may vary depending on dosage, duration of use, and individual patient response.

Metandienone may influence protein metabolism and contribute to positive nitrogen balance. These pharmacological effects have been associated with its activity on anabolic processes in the body. However, the clinical response may differ according to the patient's general health status, nutritional condition, underlying disease profile, and concomitant therapies.

As an orally active anabolic agent, metandienone requires careful medical supervision because of its potential effects on hepatic, endocrine, metabolic, and cardiovascular parameters. Periodic clinical and laboratory monitoring, including liver function tests and other relevant assessments, should be considered during use.

KEEP OUT OF REACH OF CHILDREN
STORE TABLET IN COOL,
DRY PLACE BETWEEN 15-25°C (59-77°F)

PROTECT TABLET FROM LIGHT AND
MOISTURE USE TABLET ONLY AS DIRECTED
BY A HEALTHCARE PROFESSIONAL

Norwick



ACCREDITED



ONLY

norwickpharma.com
hi@norwickpharma.com

88 The Parq Building, Ratchadaphisek Road
Klongtoey Sub-district, Bangkok / Thailand